ELSEVIER

International Journal of Mass Spectrometry 234 (2004) 227

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 234

Ångström, J., 137

Bailey, T.H., 89
Bigwarfe Jr., P.M., 185
Budnik, B.A., 203

Carlsohn, E., 137
Carretas, J.M., 51
Cong, X., 71
Cooper, H.J., 23
Costello, C.E., 203

Davidsson, P., 145
de Peredo, A.G., 11
Du, Y., 175

Emmett, M.R., 137, 145

Frahm, J.L., 79
Freitas, M.A., 213
Futrell, J.H., 89

Gorshkov, M.V., 131
Grigorean, G., 71

Håkansson, K., 123
Herlert, A., 161
Hofsteenge, J., 11
Hudgins, R.R., 23

Isa, K., 171
Ivleva, V.B., 203

Jaber, A.J., 153

Kaufman, J.M., 153
Kelleher, N.L., 175
Kusagi, I., 171

Laskin, J., 89
Lebrilla, C.B., 71
Lifshitz, C., 63
Limbach, P.A., 37

Maček, B., 11
Maekawa, Y., 171
Marçalo, J., 51
Marshall, A.G., 23, 137, 145
Mason, C.J., 79
Masselon, C.D., 131
McFadyen, W.D., 101
Meng, F., 175
Meng, Z., 37
Mormann, M., 11
Moyer, S.C., 203
Muddiman, D.C., 79

Nibbering, N.M.M., 171
Nikolaev, E.N., 131
Nilsson, C.L., 137, 145

O'Connor, P.B., 203
O'Hair, R.A.J., 101

Paša-Tolić, L., 131
Patrie, S.M., 175
Peter-Katalinić, J., 11
Pires de Matos, A., 51
Pittman, J.L., 203

Robinson, D.E., 175
Robinson, E.W., 1

Schultz, K.N., 123
Schweikhard, L., 161
Sihlbom, C., 145
Simonsick Jr., W.J., 153
Smith, R.D., 131
Sommer, U., 203
Stump, M.J., 153

Udseth, H.R., 131
Uggerud, E., 45

Wee, S., 101
Wilkins, C.L., 153
Williams, E.R., 1
Wong, R.L., 1
Wood, T.D., 185

Yamaoka, H., 171

Zhang, L., 213

doi:10.1016/S1387-3806(04)00199-X

ELSEVIER

International Journal of Mass Spectrometry 234 (2004) 229–232

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 234

Acid–base reaction
On the double benzylic hydrogen migration in the molecular ion of *N*-(5-phenylvaleryl)-1-azacyclopentane-2-thione, 171
Alcohols
Gas-phase reactions of lanthanide cations with alcohols, 51
Amino acid clusters
A review of gas-phase H/D exchange experiments: the protonated arginine dimer and bradykinin nonapeptide systems, 63
Average nucleotide
Utility of accurate monoisotopic mass measurements to confidently identify lambda exonuclease generated single-stranded amplicons containing 7-deaza analogs by electrospray ionization FT-ICR mass spectrometry, 79

BIRD
Activation of protonated peptides and molecular ions of small molecules using heated filaments in Fourier-transform ion cyclotron resonance mass spectrometry, 1
Bottom-up
Effect of ionization mode in the analysis of proteolytic protein digests, 185
Branched peptides
Electron capture dissociation Fourier transform ion cyclotron resonance mass spectrometry of cyclodepsipeptides, branched peptides, and ε-peptides, 23

Cation
Interference from multiple cations in MALDI–MS spectra of copolymers, 153
Cerebrospinal fluid
Glycoproteomics of cerebrospinal fluid in neurodegenerative disease, 145
Chiral analyses
Chiral analyses of peptides by ion/molecule reactions, 71
CID
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37
Conformers
A review of gas-phase H/D exchange experiments: the protonated arginine dimer and bradykinin nonapeptide systems, 63
Copolymers
Interference from multiple cations in MALDI–MS spectra of copolymers, 153
Cross-linking
Chemical cross-linking of the urease complex from *Helicobacter pylori* and analysis by Fourier transform ion cyclotron resonance mass spectrometry and molecular modeling, 137
Cu(II) complexes
Comparing the gas-phase fragmentation reactions of protonated and radical cations of the tripeptides GXR, 101
Cyclodepsipeptides
Electron capture dissociation Fourier transform ion cyclotron resonance mass spectrometry of cyclodepsipeptides, branched peptides, and ε-peptides, 23

7-Deaza
Utility of accurate monoisotopic mass measurements to confidently identify lambda exonuclease generated single-stranded amplicons containing 7-deaza analogs by electrospray ionization FT-ICR mass spectrometry, 79
Deuterium labeling
On the double benzylic hydrogen migration in the molecular ion of *N*-(5-phenylvaleryl)-1-azacyclopentane-2-thione, 171
Dissociation kinetics
Activation of protonated peptides and molecular ions of small molecules using heated filaments in Fourier-transform ion cyclotron resonance mass spectrometry, 1
Disulfide bond
Electron capture dissociation of the disulfide bond—a quantum chemical model study, 45
DNA
Rapid electron capture dissociation of mass-selectively accumulated oligodeoxynucleotide dications, 123
Double hydrogen rearrangement
On the double benzylic hydrogen migration in the molecular ion of *N*-(5-phenylvaleryl)-1-azacyclopentane-2-thione, 171
Dual-electrospray source
Utility of accurate monoisotopic mass measurements to confidently identify lambda exonuclease generated single-stranded amplicons containing 7-deaza analogs by electrospray ionization FT-ICR mass spectrometry, 79

Electron capture dissociation (ECD)
Structural studies on protein O-fucosylation by electron capture dissociation, 11
Electron capture dissociation Fourier transform ion cyclotron resonance mass spectrometry of cyclodepsipeptides, branched peptides, and ε-peptides, 23
Electron capture dissociation of the disulfide bond—a quantum chemical model study, 45
Rapid electron capture dissociation of mass-selectively accumulated oligodeoxynucleotide dications, 123
Considerations for electron capture dissociation efficiency in FTICR mass spectrometry, 131
Electron captured dissociation (ECD)
Comparison of peptide mass mapping and electron capture dissociation as assays for histone posttranslational modifications, 213
Electron emission
The influence of spontaneous m/z-changes on the ion motion in an ion cyclotron resonance trap, 161
Electrospray
Rapid electron capture dissociation of mass-selectively accumulated oligodeoxynucleotide dications, 123
Electrospray ionization
Comparing the gas-phase fragmentation reactions of protonated and radical cations of the tripeptides GXR, 101
Endonuclease
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37

doi:10.1016/S1387-3806(04)00200-3

ESI
A review of gas-phase H/D exchange experiments: the protonated arginine dimer and bradykinin nonapeptide systems, 63
Rapid electron capture dissociation of mass-selectively accumulated oligodeoxynucleotide dications, 123

Filaments dissociation
Activation of protonated peptides and molecular ions of small molecules using heated filaments in Fourier-transform ion cyclotron resonance mass spectrometry, 1
Flow tube
A review of gas-phase H/D exchange experiments: the protonated arginine dimer and bradykinin nonapeptide systems, 63
Fourier transform
Glycoproteomics of cerebrospinal fluid in neurodegenerative disease, 145
Fourier transform ion cyclotron resonance
Rapid electron capture dissociation of mass-selectively accumulated oligodeoxynucleotide dications, 123
Fragmentation energetics
Fragmentation energetics for angiotensin II and its analogs from time- and energy-resolved surface-induced dissociation studies 89
FT-ICR
Activation of protonated peptides and molecular ions of small molecules using heated filaments in Fourier-transform ion cyclotron resonance mass spectrometry, 1
Electron capture dissociation Fourier transform ion cyclotron resonance mass spectrometry of cyclodepsipeptides, branched peptides, and ε-peptides, 23
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37
A review of gas-phase H/D exchange experiments: the protonated arginine dimer and bradykinin nonapeptide systems, 63
Utility of accurate monoisotopic mass measurements to confidently identify lambda exonuclease generated single-stranded amplicons containing 7-deaza analogs by electrospray ionization FT-ICR mass spectrometry, 79
Rapid electron capture dissociation of mass-selectively accumulated oligodeoxynucleotide dications, 123
Strategies for automating top-down protein analysis with Q-FTICR MS, 175
FT-ICR MS
Gas-phase reactions of lanthanide cations with alcohols, 51
Fragmentation energetics for angiotensin II and its analogs from time- and energy-resolved surface-induced dissociation studies 89
Considerations for electron capture dissociation efficiency in FTICR mass spectrometry, 131
Chemical cross-linking of the urease complex from *Helicobacter pylori* and analysis by Fourier transform ion cyclotron resonance mass spectrometry and molecular modeling, 137
Glycoproteomics of cerebrospinal fluid in neurodegenerative disease, 145
FTMS
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37
Rapid electron capture dissociation of mass-selectively accumulated oligodeoxynucleotide dications, 123
Chemical cross-linking of the urease complex from *Helicobacter pylori* and analysis by Fourier transform ion cyclotron resonance mass spectrometry and molecular modeling, 137
Glycoproteomics of cerebrospinal fluid in neurodegenerative disease, 145
Strategies for automating top-down protein analysis with Q-FTICR MS, 175
High pressure MALDI-FTMS: implications for proteomics, 203
Fucosylation
Structural studies on protein O-fucosylation by electron capture dissociation, 11

Gas phase
Gas-phase reactions of lanthanide cations with alcohols, 51
Glycopeptide
Structural studies on protein O-fucosylation by electron capture dissociation, 11
Glycoprotein
Glycoproteomics of cerebrospinal fluid in neurodegenerative disease, 145
Graybody
Activation of protonated peptides and molecular ions of small molecules using heated filaments in Fourier-transform ion cyclotron resonance mass spectrometry, 1

H/D exchange
A review of gas-phase H/D exchange experiments: the protonated arginine dimer and bradykinin nonapeptide systems, 63
Histone posttranslational modifications
Comparison of peptide mass mapping and electron capture dissociation as assays for histone posttranslational modifications 213

ICR
Rapid electron capture dissociation of mass-selectively accumulated oligodeoxynucleotide dications, 123
Interference
Interference from multiple cations in MALDI–MS spectra of copolymers, 153
Ion cyclotron resonance
Glycoproteomics of cerebrospinal fluid in neurodegenerative disease 145
Ion loss
The influence of spontaneous m/z-changes on the ion motion in an ion cyclotron resonance trap, 161
Ion/molecule complex
On the double benzylic hydrogen migration in the molecular ion of *N*-(5-phenylvaleryl)-1-azacyclopentane-2-thione, 171
Ion/molecule reactions
Chiral analyses of peptides by ion/molecule reactions, 71
Ion motion
The influence of spontaneous m/z-changes on the ion motion in an ion cyclotron resonance trap, 161
Ionization
Effect of ionization mode in the analysis of proteolytic protein digests, 185
IRMPD
Glycoproteomics of cerebrospinal fluid in neurodegenerative disease, 145
Isotope labeling
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37

Lanthanide ions
Gas-phase reactions of lanthanide cations with alcohols, 51
LC–MS peptide mapping
Comparison of peptide mass mapping and electron capture dissociation as assays for histone posttranslational modifications 213

Leucine-isoleucine distinction
Comparing the gas-phase fragmentation reactions of protonated and radical cations of the tripeptides GXR, 101

MALDI
Interference from multiple cations in MALDI–MS spectra of copolymers, 153
High pressure MALDI-FTMS: implications for proteomics, 203
Mannosylation
Structural studies on protein O-fucosylation by electron capture dissociation, 11
Mass fingerprint
Effect of ionization mode in the analysis of proteolytic protein digests, 185
Mass measurement accuracy
Utility of accurate monoisotopic mass measurements to confidently identify lambda exonuclease generated single-stranded amplicons containing 7-deaza analogs by electrospray ionization FT-ICR mass spectrometry, 79
Mass spectrometry
Rapid electron capture dissociation of mass-selectively accumulated oligodeoxynucleotide dications, 123
Mechanism
On the double benzylic hydrogen migration in the molecular ion of *N*-(5-phenylvaleryl)-1-azacyclopentane-2-thione, 171
Metastable ions
On the double benzylic hydrogen migration in the molecular ion of *N*-(5-phenylvaleryl)-1-azacyclopentane-2-thione, 171
Methylations
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37
Mobile proton
Comparing the gas-phase fragmentation reactions of protonated and radical cations of the tripeptides GXR, 101
Mobile radical
Comparing the gas-phase fragmentation reactions of protonated and radical cations of the tripeptides GXR, 101
Molecular modeling
Chemical cross-linking of the urease complex from *Helicobacter pylori* and analysis by Fourier transform ion cyclotron resonance mass spectrometry and molecular modeling, 137
MS/MS
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37
Glycoproteomics of cerebrospinal fluid in neurodegenerative disease, 145
Multiply-charged ions
The influence of spontaneous m/z-changes on the ion motion in an ion cyclotron resonance trap, 161
Multipe charges
High pressure MALDI-FTMS: implications for proteomics, 203
Multisector mass spectrometry
On the double benzylic hydrogen migration in the molecular ion of *N*-(5-phenylvaleryl)-1-azacyclopentane-2-thione, 171
Multistage mass spectrometry
Comparing the gas-phase fragmentation reactions of protonated and radical cations of the tripeptides GXR, 101

Oligonucleotides
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37
Rapid electron capture dissociation of mass-selectively accumulated oligodeoxynucleotide dications, 123
Oligoribonucleotide
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37

Penning trap
The influence of spontaneous m/z-changes on the ion motion in an ion cyclotron resonance trap, 161
ε-Peptides
Electron capture dissociation Fourier transform ion cyclotron resonance mass spectrometry of cyclodepsipeptides, branched peptides, and ε-peptides, 23
Peptides
A review of gas-phase H/D exchange experiments: the protonated arginine dimer and bradykinin nonapeptide systems, 63
Chiral analyses of peptides by ion/molecule reactions, 71
N-(5-Phenylvaleryl)-1-azacyclopentane-2-thione
On the double benzylic hydrogen migration in the molecular ion of *N*-(5-phenylvaleryl)-1-azacyclopentane-2-thione, 171
Posttranscriptional modifications
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37
Proteomics
Strategies for automating top-down protein analysis with Q-FTICR MS, 175
High pressure MALDI-FTMS: implications for proteomics, 203
Protonated peptides
Fragmentation energetics for angiotensin II and its analogs from time- and energy-resolved surface-induced dissociation studies, 89
Comparing the gas-phase fragmentation reactions of protonated and radical cations of the tripeptides GXR, 101

Radical cations of peptides
Comparing the gas-phase fragmentation reactions of protonated and radical cations of the tripeptides GXR, 101
Radical directed fragmentation
Comparing the gas-phase fragmentation reactions of protonated and radical cations of the tripeptides GXR, 101
Reaction entropy
Fragmentation energetics for angiotensin II and its analogs from time- and energy-resolved surface-induced dissociation studies 89
RNA sequencing
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37
RNase T1
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37
RRKM modeling
Fragmentation energetics for angiotensin II and its analogs from time- and energy-resolved surface-induced dissociation studies 89

Selective cleavage
Fragmentation energetics for angiotensin II and its analogs from time- and energy-resolved surface-induced dissociation studies, 89
Site-specific rate constants
A review of gas-phase H/D exchange experiments: the protonated arginine dimer and bradykinin nonapeptide systems, 63
SORI
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37

Considerations for electron capture dissociation efficiency in FTICR mass spectrometry, 131
Surface-induced dissociation
Fragmentation energetics for angiotensin II and its analogs from time- and energy-resolved surface-induced dissociation studies, 89

Top-down
Strategies for automating top-down protein analysis with Q-FTICR MS, 175
tRNA
RNase mapping of intact nucleic acids by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICRMS) and ^{18}O labeling, 37

Urease
Chemical cross-linking of the urease complex from *Helicobacter pylori* and analysis by Fourier transform ion cyclotron resonance mass spectrometry and molecular modeling, 137

Zero-energy electrons
Electron capture dissociation of the disulfide bond—a quantum chemical model study, 45